



Europäisches Patentamt

European Patent Office

Office européen des brevets

(11) Veröffentlichungsnummer:

(11) Publication number:

(11) Numéro de publication:

0 539 519

Internationale Anmeldung veröffentlicht durch die  
Weltorganisation für geistiges Eigentum unter der Nummer:

**WO 92/01778** (art.158 des EPf).

International application published by the World  
Intellectual Property Organisation under number:

**WO 92/01778** (art.158 of the EPC).

Demande internationale publiée par l'Organisation  
Mondiale de la Propriété sous le numéro:

**WO 92/01778** (art.158 de la CBE).



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>5</sup> :</b>  <b>C11D 11/04, 3/20</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 92/01778</b>  <b>(43) International Publication Date:</b> 6 February 1992 (06.02.92)
<b>(21) International Application Number:</b> PCT/US91/04722 <b>(22) International Filing Date:</b> 3 July 1991 (03.07.91) <b>(30) Priority data:</b> 552,663 16 July 1990 (16.07.90) US <b>(71) Applicant:</b> THE PROCTER & GAMBLE COMPANY [US/US]; One Procter & Gamble Plaza, Cincinnati, OH 45202 (US). <b>(72) Inventors:</b> OFOSU-ASANTE, Kofi ; 5305 East Knoll Court, Cincinnati, OH 45239 (US). STEPHANS, Scott, Edward ; 1666 Westmoreland Avenue, Cincinnati, OH 45223 (US).		<b>(74) Agent:</b> REED, T., David; The Procter & Gamble Company, Ivorydale Technical Ctr., 5299 Spring Grove Ave., Cincinnati, OH 45217-1087 (US). <b>(81) Designated States:</b> AT, AT (European patent), AU, BB, BE (European patent), BF (OAPI patent), BG, BJ (OAPI patent), BR, CA, CF (OAPI patent), CG (OAPI patent), CH, CH (European patent), CI (OAPI patent), CM (OAPI patent), CS, DE, DE (European patent), DK, DK (European patent), ES, ES (European patent), FI, FR (European patent), GA (OAPI patent), GB, GB (European patent), GN (OAPI patent), GR (European patent), HU, IT (European patent), JP, KP, KR, LK, LU, LU (European patent), MC, MG, ML (OAPI patent), MR (OAPI patent), MW, NL, NL (European patent), NO, PL, RO, SD, SE, SE (European patent), SN (OAPI patent), SU, TD (OAPI patent), TG (OAPI patent). <b>Published</b> <i>With international search report.          Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
<b>(54) Title:</b> FORMATION OF HIGH ACTIVE DETERGENT PARTICLES  <b>(57) Abstract</b>  A process for producing high active detergent particles including reacting the acid form of anionic surfactant with an alkali metal hydroxide solution in a continuous neutralization system, and adding to the system an $\alpha$ -aminodicarboxylic acid selected from the group consisting of glutamic acid, aspartic acid, aminomalonic acid, aminoadipic acid, and 2-amino-2-methyl-pentanedioic acid, or their salts. Mono- and disodium glutamate are preferred.		

**+ DESIGNATIONS OF "SU"**

It is not yet known for which States of the former Soviet Union any designation of the Soviet Union has effect.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SN	Senegal
CI	Côte d'Ivoire	LJ	Liechtenstein	SU <sup>+</sup>	Soviet Union
CM	Cameroon	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TC	Togo
DE	Germany	MC	Monaco	US	United States of America
DK	Denmark				

## FORMATION OF HIGH ACTIVE DETERGENT PARTICLES

FIELD OF THE INVENTION

5 The present invention relates to a process for producing high active detergent particles which includes reacting in a continuous neutralization system the acid form of an anionic surfactant with alkali metal hydroxide and adding to the neutralization system during formation of the neutralized product an  $\alpha$ -aminodicarboxylic acid selected from the group consisting of glutamic acid, aspartic acid, aminomalonic acid, aminoadipic acid, and 2-amino-2-methyl-  
10 pentanedioic acid, or their alkali metal salts. High active detergent particles formed from the neutralized product are included.

BACKGROUND INFORMATION

15 There is currently interest in the detergent industry in concentrated detergent products. These products provide advantages to the consumer, who has a product which can be used in lower amounts and is more easily stored, and to the producer and intermediates, who have lower transportation and warehousing costs. A major difficulty, though, is finding an inexpensive and  
20 efficient way to produce a high active detergent particle for inclusion in a concentrated detergent product. By "high active" is meant greater than about 50% active by weight of the detergent particles is anionic surfactant.

25 The traditional method for producing detergent granules is spray drying. Typically, detergent ingredients such as surfactant, builder, silicate and carbonate are mixed in a mix tank to form a slurry which is about 35% to 50% water. This slurry is then atomized in a spray drying tower to reduce moisture to below about 10%. It is possible to compact spray dried  
30 particles to make dense detergent granules. See U.S. Patent 4,715,979, Moore et al., issued December 29, 1987. However, the use of spray drying to make condensed granules has some disadvantages. Spray drying is energy intensive and the resulting granules are typically not dense enough to be useful in a  
35 concentrated detergent product. Spray drying methods generally

- 2 -

involve a limited amount (less than 40%) of organic components such as surfactant for environmental and safety reasons.

5 One way to reduce the energy required to spray dry detergent granules is to reduce the moisture in the slurry which is atomized in the spray drying tower, i.e., by reducing the evaporative load. An alternative method for making a high active detergent particle is by continuous neutralization in, for example, a continuous neutralization loop. There are continuous neutralization loops  
10 available to which relatively concentrated caustic can be added. Using a caustic solution which is about 50% sodium hydroxide allows reduction of moisture in the resulting neutralized surfactant paste to about 16% water.

15 The following publications describe ways to make free-flowing high active particles without drying, using surfactant paste, and made with a continuous neutralization system: Japanese Patent 61-118500, Hara et al., laid-open June 5, 1986, Japanese Patent 60-072999, Satsusa et al., laid open April 25, 1985, U.S. Patent 4,515,707, Brooks, issued May 7, 1985, U.S. Patent 4,162,994,  
20 Kowalchuk, issued July 31, 1979, and European Patent 266847-A.

The use of polyethylene glycol and ethoxylated nonionic surfactants in granular detergent compositions is known in the art: e.g. Japanese Patent 61-231099, Sai et al., laid-open October  
15, 1986, Japanese Patent 62-263299, Nagai et al., laid-open  
25 November 16, 1987, U.S. Patent 4,639,326, Czempik et al., issued January 27, 1987, and U.S. Patent 3,838,072, Smith et al., patented September 24, 1974.

The following patents describe processes and/or surfactant compositions comprising viscosity modifiers such as polyethylene glycol and ethoxylated (E20-60) alkyl (C6-12) phenol: U.S. Patent  
30 4,482,470, Reuter et al., issued November 13, 1984, U.S. Patent 4,495,092, Schmid et al., issued January 22, 1985, U.S. Patent 4,532,076, Schmid et al., issued July 30, 1985, U.S. Patent 4,675,128, Linde et al., issued June 23, 1987, and U.S. Patent  
35 4,772,426, Koch et al., issued September 20, 1987.

- 3 -

5 It has been found that an improved high active surfactant  
paste, and therefore better detergent granules, can be made by  
adding to a continuous neutralization system, along with the acid  
form of an anionic surfactant and alkali metal hydroxide, an  
10  $\alpha$ -aminodicarboxylic acid selected from the group consisting of  
glutamic acid, aspartic acid, aminomalonic acid, aminoadipic acid,  
and 2-amino-2-methylpentanedioic acid, or their alkali salts,  
particularly monosodium glutamate. Monosodium glutamate (MSG) is  
15 popular throughout the world as a flavor enhancer. It is used in  
many Western packaged foods and in Asian countries alongside salt  
and pepper. Kirk-Othmer Encyclopedia of Chemical Technology, H.F.  
Mark et al., John Wiley & Sons, NY (1978), 3rd ed., vol. 4, pp.  
410-421. These  $\alpha$ -aminodicarboxylic acids are not to our knowledge  
20 known to be useful in detergent-making processes, for preventing  
discoloration of high-active detergent particles or for improving  
processability.

The following publications describe detergent compositions  
containing amino di-acid components such as glutamic acid and its  
25 salts.

U.S. Patent 3,872,020, Yamagishi et al, issued March 18, 1975  
discloses a detergent composition having good transparency and  
detergency, which preserves freshness of food and the like, and  
which comprises a certain sucrose ester component and an organic  
25 acid component. The latter is malic acid and/or tartaric acid  
and/or alkaline salts of either. The composition preferably  
further includes a saccharide component and/or an amino acid  
component, typically glutamic acid, alkali salts of glutamine  
acid, glycine and/or alkali salts of glycine. The amino acid  
30 component, e.g. sodium glutamate, is added to impart a freshness  
preservation ability to food to be washed (Col. 4, lines 10-16).

U.S. Patent 4,046,717, Johnston et al, issued September 6,  
1977, discloses a bar soap which is said to be given a skin  
moisturizing effect by including a water soluble lactate and/or  
35 glutamate salt. The glutamate salt and/or lactate are described

- 4 -

as additives effective to increase the water content of human skin (Col. 1, lines 17-29).

5 Japanese Publication 61-108387 discloses a method for stabilizing alkali proteases in detergent compositions by combining amino acid or its salt and, for improved stabilization, calcium salt.

10 Japanese Publication 60-243199 discloses a two-phase liquid detergent composition containing 10-50 wt.% of at least one anionic and/or nonionic surfactant, and 2-30 wt.% carboxylic acid. The components of the composition are said to separate on standing and can be mixed together.

15 German Offen. 1,942,236 discloses enzyme-containing detergent compositions containing anionic, zwitterionic, or nonionic surfactants and builders, and for improved protein stain-removing efficiency, 2-15% S-free C<sub>4</sub>-11-amino acid or its water-soluble salt; optionally containing  $\geq 1$  additional CO<sub>2</sub>H or amino group (including glutamic acid).

20 Copending Patent Application Serial No. 516,292, Wise et al, filed May 4, 1990 describes light duty liquid or gel dishwashing detergent compositions containing an alkyl ethoxy carboxylate surfactant. Disodium glutamate is mentioned as a preferred buffer therein.

#### SUMMARY OF THE INVENTION

25 The present invention relates to a process for producing high active detergent particles, comprising the steps of:

- 30 (a) reacting in a continuous neutralization system, the acid form of an anionic surfactant with an alkali metal hydroxide solution, which is about 30 to 75% by weight of the hydroxide and is present in stoichiometric amount to slight stoichiometric excess, to produce a neutralized product;
- 35 (b) adding to said continuous neutralization system, during formation of said neutralized product, an  $\alpha$ -aminodicarboxylic acid selected from the group consisting of

- 5 -

glutamic acid, aspartic acid, aminomalonic acid, aminoadipic acid, and 2-amino-2-methylpentanedioic acid, or their alkali metal salts; and

- 5 (c) forming detergent particles from the product of step (b), said particles comprising from about 50 to 90 weight % of the anionic surfactant and from about 0.2 to 15 weight % of the  $\alpha$ -aminodicarboxylic acid salt.

#### DESCRIPTION OF THE INVENTION

10 This invention includes a process for producing high active detergent particles, and detergent particles made by this process. By "high active" is meant more than about 50% by weight of the detergent particles is anionic surfactant. These high active  
15 particles allow for a more concentrated granular laundry detergent product. The detergent particles are formed from a neutralized paste made by reacting in a continuous neutralization system the acid form of an anionic surfactant with an alkali metal hydroxide solution, which is about 30 to 75% by weight of the hydroxide and  
20 is present in stoichiometric amount to slight stoichiometric excess (0 to about 5, preferably 0 to about 1, weight % expressed as sodium hydroxide), to produce a neutralized product. An  $\alpha$ -aminodicarboxylic acid selected from the group consisting of glutamic acid, aspartic acid, aminomalonic acid, aminoadipic acid, and 2-amino-2-methylpentanedioic acid, or their alkali metal salts  
25 (including mixtures thereof) are added to the continuous neutralization system during formation of the neutralized (paste) product.

The benefits of adding the  $\alpha$ -aminodicarboxylic acid/salt component are threefold. It provides good alkalinity control  
30 during neutralization and is an effective buffer for this process. Surprisingly, it also reduces the viscosity of the neutralized product (paste) in the neutralization system, particularly where mono- and disodium glutamate are used with alkyl sulfate and/or linear alkyl benzene sulfonate, which improves processability.  
35 Lastly, it solves the problem of discoloration of high active




- 6 -

detergent particles. Without this  $\alpha$ -aminodicarboxylic acid/salt component, the neutralized product can be off-white in color, and detergent particles made from the neutralized product may become discolored over time. When perfume is sprayed on high active detergent particles of alkyl sulfate and linear alkyl benzene sulfonate, for example, they turn from off-white to an unacceptable dark yellow. Perfume impact may be reduced. With the  $\alpha$ -aminodicarboxylic acid/salts component, discoloration is not observed.

#### I. Acid and Caustic

The acid form of an anionic surfactant is reacted in a continuous neutralization system with an alkali metal hydroxide solution, which is about 30 to 75, preferably 50 to 75, most preferably 62 to 73, % by weight of the hydroxide. The acid form of anionic surfactant is preferably the acid form of C<sub>12</sub>-18 alkyl sulfate ("HAS"), C<sub>12</sub>-18 alkyl ether sulfate ("HAES"), C<sub>10</sub>-16 linear alkyl benzene sulfonate ("HLAS"), C<sub>12</sub>-18 fatty acid (particularly coconut fatty acid), and/or C<sub>12</sub>-18 methyl ester sulfonate ("HMES"). C<sub>12</sub>-18 methyl ester sulfonate has the structure:



where R is an alkyl group and M is hydrogen or a soluble salt. More preferred are C<sub>12</sub>-18 HAS, mixtures of C<sub>12</sub>-18 HAS and C<sub>10</sub>-16 HLAS, and mixtures of C<sub>12</sub>-18 HAS and C<sub>12</sub>-18 fatty acid. Most preferred are C<sub>14</sub>-16 HAS, and mixtures of C<sub>14</sub>-16 HAS and C<sub>11</sub>-14 HLAS. The HAS and HLAS can be prepared by a known sulfation/sulfonation process, and is preferably made using a falling film SO<sub>3</sub> reactor. See Synthetic Detergents, 7th ed., A.S. Davidson & B. Milwidsky, John Wiley & Sons, Inc., 1987, pp. 151-168. Mixtures of HAS and HLAS are preferred because of

- 7 -

improved dispersibility of detergent particles formed from a paste made with the mixture. The two acids can be added as separate streams to the continuous neutralization system or mixed before  
5 addition. Alternatively, pastes made from each separate acid can be mixed after neutralization.

In this process, it is preferred that the final weight ratio of the preferred C<sub>12-18</sub> sodium alkyl sulfate to C<sub>10-16</sub> sodium linear alkyl benzene sulfonate be between 75:25 and 96:4,  
10 preferably between 80:20 and 95:5. (Sodium hydroxide is the preferred alkali metal hydroxide.)

An 88:12 weight ratio of C<sub>14-15</sub> sodium alkyl sulfate to C<sub>12-13</sub> sodium linear alkyl benzene sulfonate is most preferred because the neutralized paste is not unacceptably sticky, yet the  
15 particles formed from the paste are dispersible in 60°F (15.5°C) water. Paste made from about 100% C<sub>14-15</sub> HAS (including impurities) is in contrast not very dispersible in cool (60°F; 15.5°C) water despite its desirable consistency. Paste made from  
20 HLAS alone is soft and sticky and therefore difficult to form into nonsticky, discrete surfactant particles.

The acid form of C<sub>14-16</sub> alkyl sulfate is preferred for use in this process. The acid form of C<sub>14-15</sub> alkyl sulfate is most preferred.

The acid form of C<sub>11-14</sub> linear alkyl benzene sulfonate is  
25 preferred. The acid form of C<sub>12-13</sub> linear alkyl benzene sulfonate is most preferred for use herein.

The alkali metal hydroxide used to neutralize the HAS and HLAS is about 30 to 75%, preferably about 50 to 75%, most preferably about 62 to 73%, by weight of the hydroxide. Where 62  
30 to 73% concentrated caustic is used, the cooler in the system must be carefully maintained at the required temperature to prevent "cold spots". A "cold spot" is any point in the feed system, pumps, metering systems, pipes or valves where the system has reached a temperature below the melting point of the caustic  
35 (155°F or 68.3°C for 70% caustic, for example). Such a "cold

- 8 -

spot" can cause crystallization of the caustic and blockage of the feed system. Typically "cold spots" are avoided by hot water jackets, electrical tracing, and electrically heated enclosures.

5 Sodium hydroxide, preferably about 70% solids, is the preferred alkali metal hydroxide.

10 The neutralized product formed by the acid and caustic is in the form of a molten paste. When about 62% active caustic is used, the molten paste ordinarily has about 12% by weight of water. When 70% active caustic is used, the molten paste ordinarily has between about 8 and 10% by weight of water. It is most preferred that the alkali metal hydroxide be about 70% by weight of hydroxide.

15 When combined with the  $\alpha$ -aminodicarboxylic acid/salt component, a 1% solution of the product of step (b) in water at a temperature of about 150°F (65.5°C) will preferably have a pH between about 8.5 to 10.5, preferably 9.0 to 9.5.

20 The anionic surfactant acid and caustic are put into the continuous neutralization system separately, preferably at the high shear mixer so that they mix together as rapidly as possible.

Generally, in a continuous neutralization loop, the ingredients enter the system through a pump (typically centrifugal) which circulates the material through a heat exchanger in the loop and back through the pump, where new materials are introduced. The material in the system continually recirculates, with as much product exiting as is entering. Product exits through a control valve which is usually after the pump. The recirculation rate of a continuous neutralization loop is between about 1:1 and 50:1. The temperature of the neutralization reaction can be controlled to a degree by adjusting the amount of cooling by the heat exchanger. The "throughput" can be controlled by modifying the amount of anionic surfactant acid and caustic introduced.

35

- 9 -

The continuous neutralization loop should be modified as follows to practice this process using the very concentrated (about 62 to 73% solids) caustic:

- 5 (1) Insulate the loop;
- (2) Change the centrifugal pump to a positive displacement pump, which is better able to handle very viscous material;
- (3) Install a cooler which can handle concentrated paste;
- 10 (4) Introduce materials through a high shear mixer installed in-line;
- (5) Install a metering system for the polyethylene glycol and/or ethoxylated nonionic surfactant, preferably after the high shear mixer; and
- 15 (6) Position the incoming streams of acid and caustic at the high shear mixer so that the highest degree of mixing possible takes place.
- (7) The temperature of the loop should be as low as possible, to minimize hydrolysis, yet maintain adequate recirculation and mixing. Typical paste temperatures in
- 20 the loop are between about 180°F (82.2°C) and 230°F (110°C), preferably about 200°F (93.3°C) to 210°F (98.9°C).

The neutralized product preferably has less than or equal to about 12%, preferably 8 to 10%, by weight of water.

## II. $\alpha$ -Aminodicarboxylic Acid/Salts

During formation of the neutralized product in the continuous neutralization system, preferably a continuous high active neutralization loop (Chemithon Corp., Seattle, WA) modified as

30 indicated above, one or more  $\alpha$ -aminodicarboxylic acids selected from the group consisting of glutamic acid, aspartic acid, aminomalonic acid, aminoadipic acid, and 2-amino-2-methylpentanedioic acid, or their alkali metal salts, are added to the system. Alkali metal salts of glutamic acid and/or aspartic acid

35

- 10 -

are preferred. Monosodium and/or disodium glutamate are most preferred.

5	<u>Component</u>	<u>Structure</u>	<u>pKa</u>
	Aspartic acid ( <u>L-Aminobutanedioic acid</u> )	$\begin{array}{c} \text{NH}_2 \\   \\ \text{HO}_2\text{CCH}_2\text{CHCO}_2\text{H} \end{array}$	10.02 at 25°C and 0 ionic strength
10	Glutamic acid ( <u>L-2-Aminopentanedioic acid</u> )	$\begin{array}{c} \text{NH}_2 \\   \\ \text{HO}_2\text{CCH}_2\text{CH}_2\text{CHCO}_2\text{H} \end{array}$	9.95 at 25°C and 0 ionic strength
15	Aminomalonic acid ( <u>Aminopropanedioic acid</u> )	$\begin{array}{c} \text{NH}_2 \\   \\ \text{HO}_2\text{CCHCO}_2\text{H} \end{array}$	9.30 at 20°C and 0 ionic strength
20	Aminoadipic acid ( <u>DL-2-Aminohexanedioic acid</u> )	$\begin{array}{c} \text{NH}_2 \\   \\ \text{HO}_2\text{CCH}_2\text{CH}_2\text{CH}_2\text{CHCO}_2\text{H} \end{array}$	9.15 at 25°C and 0.16 ionic strength
25	DL-2-Amino-2-methylpentane- dioic acid	$\begin{array}{c} \text{NH}_2 \\   \\ \text{HO}_2\text{CCH}_2\text{CH}_2\text{CCO}_2\text{H} \\   \\ \text{CH}_3 \end{array}$	9.71 at 25°C and 0.1 ionic strength

See Critical Stability Constants, A.E. Martell and R.M. Smith, Vol. 1: Amino Acids, (Plenum Press, NY & London, 1974), pp. 23-29, 395; and Merck Index, 8th ed. (Merck & Co., Rahway, NJ, 1968), p. 52.

It has been found that this  $\alpha$ -aminodicarboxylic acid/salt component has several surprising benefits in this process. Without this component, the neutralized paste product is off-white in color. When perfume is sprayed on detergent particles made

- 11 -

without this component, they turn an unacceptable dark color. After several days, perfume impact can be reduced to a low level. (See Example III.) When disodium glutamate (DSG) for example is added to the neutralization loop, the neutralized paste product, and detergent particles made from the paste, are surprisingly white in color. No discoloration is observed when perfume is sprayed on the detergent particles. Perfume impact is good and the particles are acceptable for use in granular laundry products.

5 The DSG provides good alkalinity control in the neutralization loop and is an effective buffer. It surprisingly reduces paste viscosity and improves processability. DSG can be made from crystalline monosodium glutamate, which is readily available and inexpensive, by dissolving in water and titrating with 50% sodium hydroxide. This  $\alpha$ -aminodicarboxylic acid/salt component is preferably added by a metering system into the neutralization loop at the discharge side of the high shear mixer.

In contrast, when sodium carbonate, a commonly used buffer for neutralization systems, is employed, the neutralized product is unacceptable due to stickiness and carbon dioxide gas bubbles which form during neutralization. Paste and detergent particle discoloration is not observed, although flake product odor is not acceptable (see Example II).

20

Without meaning to be bound by theory, it is believed that the mechanism whereby these  $\alpha$ -aminodicarboxylic acids and/or their salts prevent discoloration is as follows. Since discoloration of the neutralized surfactant paste and detergent particles made from the paste seems to occur even without the addition of perfume, it appears that aldehydes from the perfumes and/or from oxidation of the additive polyethylene glycol, and/or from oxidation of primary alcohols in the surfactant paste remaining from sulfation, are causing the discoloration. These aldehydes probably react with the  $\alpha$ -aminodicarboxylic acids/salts, especially mono- or disodium glutamate, preventing the aldehydes from further reaction and thus preventing discoloration.

25 30 35

- 12 -

III. Polyethylene Glycol and/or  
Ethoxylated Nonionic Surfactant

5 It is preferred that polyethylene glycol (most preferred)  
and/or ethoxylated nonionic surfactant be added to the continuous  
neutralization system during formation of the neutralized product.  
The polyethylene glycol preferably has a molecular weight of  
between about 4,000 and 50,000, more preferably between about  
7,000 and 12,000, most preferably about 8,000 ("PEG 8,000"). The  
10 ethoxylated nonionic surfactant is preferably of the formula  
 $R(OC_2H_4)_nOH$ , wherein R is a C<sub>12-18</sub> alkyl group or a C<sub>8-16</sub> alkyl  
phenol group and n is from about 9 to about 80, with a melting  
point greater than or equal to about 120°F (48.9°C). The weight  
ratio of the additive of step (b) to the ingredients of step (a)  
15 is preferably from about 1:5 to 1:20.

The polyethylene glycol and/or the ethoxylated nonionic  
surfactant can be added separately or as a mixture to the  
continuous neutralization system. In a neutralization loop, these  
additive(s) preferably enter the loop after the high shear mixer  
20 and before the recirculation pump. The additives must be melted  
before addition to the neutralization system, so that they can be  
metered in.

These additives are chosen because they enhance detergent  
performance and are solid at below about 120°F (48.9°C), so that a  
25 detergent particle which is firm at ambient temperature can be  
made from the neutralized paste. Each additive also acts as a  
process aid by somewhat reducing the viscosity of the high active  
paste in the neutralizer loop.

The preferred weight ratio of polyethylene glycol to the  
30 acid/caustic mixture of step (a) is from about 1:8 to about 1:12.  
For polyethylene glycol with a molecular weight of 8,000, the  
preferred weight ratio is one part PEG 8,000 to ten parts  
acid/caustic mixture.

Polyethylene glycol is formed by the polymerization of  
35 ethylene glycol with ethylene oxide in an amount sufficient to

- 13 -

provide a compound with a molecular weight between about 4,000 and 50,000. It can be obtained from Union Carbide (Charleston, WV).

5 The preferred ethoxylated nonionic surfactant material is of the formula  $R(OC_2H_4)_nOH$ , wherein R is a  $C_{12-18}$  alkyl group and n is from about 12 to about 30. Most preferred is tallow alcohol ethoxylated with 18 moles of ethylene oxide per mole of alcohol ("TAE 18"). The preferred melting point for the ethoxylated nonionic surfactant is greater than about 140°F (60°C).

10 Examples of other ethoxylated nonionic surfactants herein are the condensation products of one mole of decyl phenol with 9 moles of ethylene oxide, one mole of dodecyl phenol with 16 moles of ethylene oxide, one mole of tetradecyl phenol with 20 moles of ethylene oxide, or one mole of hexadecyl phenol with 30 moles of  
15 ethylene oxide.

#### IV. Formation of Particles

The final step of this process is forming detergent particles from the product of step (b). The detergent particles herein comprise from about 50 to 90, preferably 60 to 85, most preferably  
20 75 to 85, weight % of the anionic surfactant and from about 0.2 to 15, preferably 1 to 10, most preferably 1.5 to 5, weight % of the  $\alpha$ -aminodicarboxylic acid salt. Detergent particles can be formed in various ways from the neutralized product exiting the continuous neutralization system. A desirable detergent particle  
25 size distribution has a range of about 100 to 1200 microns, preferably about 150 to 600 microns, with an average of 300 microns.

The molten paste from a continuous neutralization loop can be atomized into droplets in a prilling (cooling) tower. To avoid  
30 prilling at all, the molten neutralized product can be simultaneously cooled and extruded, and cut or ground into desirable particle sizes (a second and preferred choice).

A third choice is to allow the molten paste to cool on a chill roll, or any heat exchange unit until it reaches a doughy  
35 consistency, at which point other detergent ingredients can be



- 14 -

kneaded in. The resulting dough can then be granulated in a high shear mixer using a fine powder of less than about 200 microns average particle diameter, preferably less than about 20 microns, or it can be granulated by mechanical means.

A fourth and most preferred choice is to allow the molten paste to cool completely on a chill roll or chilled belt unit until it is solid. The thin, hardened layer of solidified product can then be scraped off the chill roll or belt and broken into flakes. The flakes can either be mechanically ground into detergent particles (and screened for desired particle sizes) or preferably further dried (before mechanically grinding) to improve particle crispness (preferably below about 5% moisture). Should further drying be necessary, care must be taken not to overheat the flakes since overheating can cause hydrolysis of the alkyl sulfate, for example.

The resulting detergent particles can be used as is, but are preferably admixed into a finished detergent composition. For example, the instant detergent particles can be admixed with spray dried linear alkyl benzene sulfonate particles (with or without detergency builder) to make a granular detergent product.

Appropriate finished detergent compositions contain from about 5 to 95% by weight of the instant high active detergent particles, from 0 to about 95% by weight of additional detergent surfactant, from 0 to about 85% by weight of detergency builder, from 0 to about 50% by weight of fabric care agent, and from 0 to about 20% by weight of bleaching agents.

The additional detergent surfactant referred to immediately above is selected from the group consisting of anionic, cationic, nonionic, amphoteric, and zwitterionic surfactants, and mixtures thereof. Examples of surfactants of these types are described in U.S. Patent 3,579,454, Collier, issued May 18, 1971, incorporated herein by reference, from Column 11, line 45 through Column 13, line 64. An extensive discussion of surfactants is contained in U.S. Patent 3,936,537, incorporated herein by reference,

- 15 -

particularly Column 11, line 39 through Column 13, line 52. Anionic synthetic surfactants are particularly preferred.

5 Cationic surfactants can also be included in such finished detergent compositions. Cationic surfactants comprise a wide variety of compounds characterized by one or more organic hydrophobic groups in the cation and generally by a quaternary nitrogen associated with an acid radical. Pentavalent nitrogen ring compounds are also considered quaternary nitrogen compounds. 10 Suitable anions are halides, methyl sulfate and hydroxide. Tertiary amines can have characteristics similar to cationic surfactants at washing solution pH values less than about 8.5. A more complete disclosure of these and other cationic surfactants useful herein can be found in U.S. Patent 4,228,044, Cambre, 15 issued October 14, 1980, incorporated herein by reference.

Other optional ingredients which may be included in the finished detergent compositions herein include detergency builders, chelating agents, bleaching agents, antitarnish and anticorrosion agents, perfume and color additives, and other 20 optional ingredients enumerated in the Baskerville patent, U.S. Patent 3,936,537, from Column 19, line 53 through Column 21, line 21, incorporated herein by reference. Chelating agents are also described in U.S. Patent 4,663,071, Bush et al., from Column 17, line 54 through Column 18, line 68, incorporated herein by 25 reference. Suds modifiers are also optional ingredients and are described in U.S. Patents 3,933,672, issued January 20, 1976 to Bartoletta et al., and 4,136,045, issued January 23, 1979 to Gault et al., both incorporated herein by reference. Detergency builders are enumerated in the Baskerville patent from Column 13, 30 line 54 through Column 16, line 16, and in U.S. Patent 4,663,071, Bush et al., issued May 5, 1987, both incorporated herein by reference. Such builders include, for example, phosphates, aluminosilicates, silicates, carbonates. C<sub>10</sub>-C<sub>18</sub> alkyl monocarboxylates, polycarboxylates, and polyphosphonates, and 35 mixtures thereof.

- 16 -

Fabric care agents are optionally included in such finished detergent compositions. These include known fabric softeners and antistatic agents, such as those disclosed in U.S. Patent 5 4,762,645, Tucker et al., issued August 9, 1988, incorporated herein by reference. The smectite clays described therein can also be included in the finished detergent compositions.

Percarboxylic acid bleaching agents, or bleaching 10 compositions containing peroxygen bleaches capable of yielding hydrogen peroxide in an aqueous solution and bleach activators at specific molar ratios of hydrogen peroxide to bleach activator, can also be included. These bleaching agents are fully described in U.S. Patent 4,412,934, Chung et al., issued November 1, 1983, and in U.S. Patent 4,483,781, Hartman, issued November 20, 1984, 15 both of which are incorporated herein by reference.

The following components are preferably not added to the continuous neutralization system: sucrose ester component, water soluble lactate, and alkali proteases or other enzymes. The detergent particles are preferably to be incorporated into 20 granular laundry detergent compositions, rather than bar soaps or liquid or gel detergent compositions.

The following nonlimiting examples illustrate the process and detergent particles of the present invention. All parts, percentages and ratios herein are by weight unless otherwise 25 specified.

#### EXAMPLE I

##### Neutralization of High Active AS/LAS

##### Paste With Sodium Glutamate

##### Objective:

30 To determine physical properties of high active paste (approximately 9% water) with sodium glutamate.

##### Preparation:

Equipment: A falling film SO<sub>3</sub> reactor is used to prepare the acid form of C<sub>14-15</sub> alkyl sulfate (HAS). The acid form of C<sub>12.3</sub> linear 35 alkyl benzene sulfonate (HLAS) is mixed into the HAS in an 88/12

- 17 -

HAS/HLAS ratio. The acid is fed to a high active neutralization system (HAN) supplied by Chemithon Corporation of Seattle Washington. This customized neutralization system consists of a recycle loop containing heat exchangers for cooling, a recirculation pump, and a high shear mixer with which the reactants are introduced.

In order to attain suitable moisture levels for particle formation, the neutralization loop is modified to handle 70% sodium hydroxide melt. This modification consists of hot water jackets and electrical heating of the cooler to maintain the 70% caustic above the caustic melting point of about 155°F (68.3°C), and addition of a low pressure drop cooler and a pump capable of handling high viscosity (Moyno pump, Robbins & Myers, Springfield, OH). The modified system is called an ultra high active neutralization system (UHAN).

Other modifications are the addition of metering systems which inject polyethylene glycol (PEG) and disodium glutamate (DSG) into the neutralization loop at the discharge side of the high shear mixer. The PEG has an average molecular weight of 8000 and is added as a 160°F (71.1°C) melt at a rate of 1 part per 10 parts of active surfactant. The PEG improves pumpability and physical properties of the subsequent particles. The DSG solution is made from crystalline monosodium glutamate at 50% dissolved in 140°F (60°C) water and titrated with 50% NaOH to pH = 11. The DSG is added at a rate of 1 part per 40 parts of active surfactant. DSG provides better alkalinity control in the loop, reduces the paste viscosity, and prevents discoloration.

The molten paste is fed to a chill roll, which forms a thin, solid sheet that is sticky. This sheet is fed to a rotary dryer where the flake moisture is reduced from 10% to under 2%. The dried flakes are then ground manually in an impact grinder, and screened to the desired particle size.

Operation: At start up, the neutralization loop is filled with water and the system is maintained at 180-230°F (82.2-110°C)

- 18 -

by using hot water. The recycle pump and high shear mixer are started.

5 The 88/12 mixture of HAS/HLAS is fed into the high shear mixer and allowed to react. The sodium hydroxide, DSG and HAS/HLAS are metered to maintain a pH of approximately 9.7. Material displaced from the recirculation loop is discharged through a back pressure control valve. As operation continues, the water is displaced from the loop and the concentration of the  
10 neutralized AS/LAS is increased to over 70% active.

Once the desired active level is reached, the paste stream is diverted to the chill roll. 40°F (4.4°C) cooling water is used to cool the sheets of paste to approximately 80°F (26.7°C). The cool flakes are stored in air tight drums. The flakes are then batch  
15 dried in a rotary mixer from about 10% to below about 2% moisture, keeping flake temperatures under 250°F (121.1°C) to prevent flake degradation. Each batch is allowed to cool to room temperature, and is ground with an impact grinder. The ground material is sieved to remove material larger than 20 Tyler mesh.

20 Experimental results:

Detergent Particles Composition: (calculated based on paste composition prior to drying)

<u>Component</u>	<u>% By Weight</u>
C14-15 Sodium alkyl sulfate	71.8%
25 C12.3 LAS	10.5%
Water	1.5%
PEG 8000	7.9%
Misc. (sulfate, NaOH, etc)	3.7%
Unreacted alcohol	2.6%
30 Disodium glutamate	2.0%

The paste and the resultant particles are bright white in color. No discoloration is observed when perfume is sprayed on the flakes. No gas generation is observed. The flake product has a sweet, honey like odor. This flake product is acceptable for  
35 use in granular laundry detergent compositions.

- 19 -

Pressure drops through the heat exchanger are 88 psi for a Recycle Ratio of 22. (Recycle ratio is the mass flow in the loop divided by the product stream mass flow.) This pressure drop is much lower than what would be expected for a non-DSG system at that recycle ratio, indicating a reduction in viscosity in the paste, which improves processability.

Alkalinity control of the loop is excellent. Alkalinity ranges from 9.8 to 10.3 over a several hour period. No product degradation is observed.

#### EXAMPLE II

##### Neutralization of High Active AS/LAS Paste With Sodium Carbonate

###### Objective:

To determine physical properties of high active paste (approximately 9% H<sub>2</sub>O) with sodium carbonate.

###### Preparation/Operation:

Preparation and operation are similar to Example I, except sodium carbonate is used instead of DSG, at approximately 1 part carbonate per 80 parts active AS/LAS. Sodium carbonate is fed into the neutralization loop in a similar manner as DSG, by using a 30% solution at 140°F (60°C).

###### Experimental results:

Detergent Particles Composition: (calculated based on paste composition prior to drying)

<u>Component</u>	<u>% By Weight</u>
C14-15 Sodium alkyl sulfate	71.6%
C12.3 LAS	10.9%
Water	1.5%
PEG 8000	6.6%
Misc. (sulfate, NaOH, etc.)	4.7%
Unreacted alcohol	3.6%
Sodium carbonate	1.1%

The paste and the resultant particles are white in color. No discoloration is observed when perfume is sprayed on the flakes.

- 20 -

CO<sub>2</sub> gas bubble generation is observed, which affects the flake integrity. Flakes are unacceptably sticky and difficult to process. The flake product has an unacceptable faint sour odor, having some of the odor characteristics of the acid form. This flake product is unacceptable for use in granular laundry detergent compositions.

Pressure drops through the heat exchanger are 106 psi for a Recycle Ratio of 21. (Recycle ratio is the mass flow in the loop divided by the product stream mass flow.) This pressure drop is somewhat lower than what would be expected for a non-carbonate paste at that recycle ratio, indicating a reduction in viscosity in the paste, which improves processability.

Alkalinity control of the loop is good. Alkalinity ranges from 9.8 to 10.5 as caustic levels are adjusted.

#### EXAMPLE III

##### Neutralization of High Active AS/LAS Paste

##### Without Sodium Glutamate

##### Objective:

To determine physical properties of high active paste (approximately 9% H<sub>2</sub>O) without added glutamate or carbonate.

##### Preparation/Operation:

Preparation and operation are similar to Example I, except that glutamate and carbonate are not added. Excess sodium hydroxide is used to control the alkalinity of the paste and to prevent reversion.

##### Experimental results:

Detergent Particles Composition: (calculated based on paste composition prior to drying)

<u>Component</u>	<u>% By Weight</u>
C14-15 Sodium alkyl sulfate	72.6%
C12.3 LAS	10.9%
Water	1.4%
PEG 8000	7.4%
Misc. (sulfate, NaOH, etc.)	3.1%

- 21 -

Unreacted alcohol 4.6%

The paste and the resultant particles are off-white in color. A dark yellow discoloration is observed when perfume is sprayed on the flakes. Perfume impact is reduced to a very low level after several days of contact with the particles. This flake is unacceptable for use in granular laundry detergent compositions. No gas generation is observed. The flake product has a faint spicy-sweet odor.

Pressure drops through the heat exchanger are 105 psi for a Recycle Ratio of 10. (Recycle ratio is the mass flow in the loop divided by the product stream mass flow.) This pressure drop is average for a non-buffer paste.

Alkalinity control of the loop is fair. Caustic level must be constantly readjusted to compensate for changes in paste alkalinity.

WHAT IS CLAIMED IS:



Claims

1. A process for producing high active detergent particles, characterized by comprising the steps of:
  - (a) reacting in a continuous high active neutralization loop, the acid form of an anionic surfactant with an alkali metal hydroxide solution (preferably sodium hydroxide), which is 30 to 75% (preferably 62 to 73%) by weight of the hydroxide and is present in stoichiometric amount to slight stoichiometric excess, to produce a neutralized product;
  - (b) adding to said continuous high active neutralization loop, during formation of said neutralized product, an  $\alpha$ -aminodicarboxylic acid selected from the group consisting of glutamic acid (preferred), aspartic acid (preferred), aminomalonic acid, aminoadipic acid, and 2-amino-2-methyl-pentanedioic acid, or their alkali metal salts; and
  - (c) forming detergent particles from the molten neutralized product of step (b), by cooling and sequentially or concurrently prilling, extruding, granulating or flaking, said particles comprising from 50 to 90 (preferably 75 to 85) weight % of the anionic surfactant and from 0.2 to 15 weight % of the  $\alpha$ -aminodicarboxylic acid salt.
2. A process according to Claim 1, wherein from 1 to 10 weight % mono- or disodium glutamate is added to the neutralization loop.
3. A process according to Claim 2, wherein the acid form of C<sub>12</sub>-18 alkyl sulfate is used.
4. A process according to Claim 3, wherein a mixture of the acid form of C<sub>12</sub>-18 alkyl sulfate and C<sub>10</sub>-16 linear alkyl benzene sulfate are reacted with the sodium hydroxide so that the final ratio of C<sub>12</sub>-18 sodium alkyl sulfate to C<sub>10</sub>-16 sodium linear alkyl benzene sulfonate is between 75:25 and 96:4.

5. A process according to Claim 4, wherein said mixture is of the acid form of C<sub>14-16</sub> alkyl sulfate and C<sub>11-14</sub> linear alkyl benzene sulfate or C<sub>12-18</sub> fatty acid.
6. A process according to Claim 5, wherein said neutralized product has less than or equal to 12% by weight of water.
7. A process according to Claim 1, comprising the additional step of adding to the neutralization loop during formation of said neutralized product, polyethylene glycol of a molecular weight between 4,000 and 50,000; ethoxylated nonionic surfactant of the formula  $R(OC_2H_4)_nOH$ , wherein R is a C<sub>12-18</sub> alkyl group or a C<sub>8-16</sub> alkyl phenol group and n is from 9 to 80, with a melting point of greater than or equal to 120°F (48.9°C); or mixtures thereof in a weight ratio of from 1:5 to 1:20 with the ingredients of step (a).
8. A process according to Claim 8, wherein polyethylene glycol of a molecular weight between 7,000 and 12,000 is added.
9. A process according to Claim 8, wherein said neutralization loop is insulated and comprises a high shear mixer, positive displacement pump and a cooler.
10. A process according to Claim 9, wherein incoming acid and caustic streams to said neutralization loop are positioned at the high shear mixer, and additives are metered in after said high shear mixer and before said positive displacement pump in said neutralization loop.
11. A process according to Claim 1 comprising simultaneous cooling and extruding molten neutralized product, and cutting or grinding into detergent particles.
12. A process according to Claim 1 comprises cooling said product of step (b) on a chill roll until it has solidified, and flaking said solidified product off said chill roll into detergent flakes.




drying to below 5% moisture, and mechanically grinding into detergent particles.

13. A process according to Claim 1, wherein the acid form of C<sub>12-18</sub> methyl ester sulfonate is used.

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 91/04722

<b>I. CLASSIFICATION OF SUBJECT MATTER</b> (If several classification symbols apply, indicate all) * According to International Patent Classification (IPC) or to both National Classification and IPC IPC <sup>5</sup> : C 11 D 11/04, C 11 D 3/20											
<b>II. FIELDS SEARCHED</b> <div style="text-align: center; border-top: 1px solid black; border-bottom: 1px solid black;">Minimum Documentation Searched †</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; border-bottom: 1px solid black;">Classification System</td> <td style="border-bottom: 1px solid black;">Classification Symbols</td> </tr> <tr> <td style="padding: 5px;">IPC<sup>5</sup></td> <td style="padding: 5px;">C 11 D</td> </tr> </table> <div style="text-align: center; border-top: 1px solid black; border-bottom: 1px solid black;">Documentation Searched other than Minimum Documentation to the extent that such documents are included in the fields searched ‡</div>			Classification System	Classification Symbols	IPC <sup>5</sup>	C 11 D					
Classification System	Classification Symbols										
IPC <sup>5</sup>	C 11 D										
<b>III. DOCUMENTS CONSIDERED TO BE RELEVANT*</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Category *</th> <th style="width: 60%;">Citation of Document, ** with indication, where appropriate, of the relevant passages **</th> <th style="width: 30%;">Relevant to Claim No. **</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">P, A</td> <td style="padding: 5px;">EP, A2, 0 402 112 (THE PROCTER &amp; GAMBLE) 12 December 1990 (12.12.90), see page 4, line 36 - page 6, line 30; claims. ---</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1-13</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="padding: 5px;">US, A, 4 515 707 (BROOKS) 07 May 1985 (07.05.85), see totality. ----</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1-11</td> </tr> </tbody> </table>			Category *	Citation of Document, ** with indication, where appropriate, of the relevant passages **	Relevant to Claim No. **	P, A	EP, A2, 0 402 112 (THE PROCTER & GAMBLE) 12 December 1990 (12.12.90), see page 4, line 36 - page 6, line 30; claims. ---	1-13	A	US, A, 4 515 707 (BROOKS) 07 May 1985 (07.05.85), see totality. ----	1-11
Category *	Citation of Document, ** with indication, where appropriate, of the relevant passages **	Relevant to Claim No. **									
P, A	EP, A2, 0 402 112 (THE PROCTER & GAMBLE) 12 December 1990 (12.12.90), see page 4, line 36 - page 6, line 30; claims. ---	1-13									
A	US, A, 4 515 707 (BROOKS) 07 May 1985 (07.05.85), see totality. ----	1-11									
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>* Special categories of cited documents: **</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"Δ" document member of the same patent family</p> </div> </div>											
<b>IV. CERTIFICATION</b> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; border-bottom: 1px solid black; padding: 5px;">           Date of the Actual Completion of the International Search  <div style="text-align: center;">07 November 1991</div> </td> <td style="width: 50%; border-bottom: 1px solid black; padding: 5px;">           Date of Mailing of this International Search Report  <div style="text-align: center;">27 NOV 1991</div> </td> </tr> <tr> <td style="border-bottom: 1px solid black; padding: 5px;">           International Searching Authority  <div style="text-align: center;">EUROPEAN PATENT OFFICE</div> </td> <td style="border-bottom: 1px solid black; padding: 5px;">           Signature of Authorized Officer  <div style="text-align: center;">               MISS T. TAZELAAR           </div> </td> </tr> </table>			Date of the Actual Completion of the International Search <div style="text-align: center;">07 November 1991</div>	Date of Mailing of this International Search Report <div style="text-align: center;">27 NOV 1991</div>	International Searching Authority <div style="text-align: center;">EUROPEAN PATENT OFFICE</div>	Signature of Authorized Officer <div style="text-align: center;">               MISS T. TAZELAAR           </div>					
Date of the Actual Completion of the International Search <div style="text-align: center;">07 November 1991</div>	Date of Mailing of this International Search Report <div style="text-align: center;">27 NOV 1991</div>										
International Searching Authority <div style="text-align: center;">EUROPEAN PATENT OFFICE</div>	Signature of Authorized Officer <div style="text-align: center;">               MISS T. TAZELAAR           </div>										

ANHANG  
zum internationalen Recherchen-  
bericht über die internationale  
Patentanmeldung Nr.

ANNEX  
to the International Search  
Report to the International Patent  
Application No.

ANNEXE  
au rapport de recherche inter-  
national relatif à la demande de brevet  
international n°

PCT/US91/04722 SAE50515

In diesem Anhang sind die Mitglieder  
der Patentfamilien der im obenge-  
nannten internationalen Recherchenbericht  
angeführten Patentdokumente angegeben.  
Diese Angaben dienen nur zur Unter-  
richtung und erfolgen ohne Gewähr.

This Annex lists the patent family  
members relating to the patent documents  
cited in the above-mentioned inter-  
national search report. The Office is  
in no way liable for these particulars  
which are given merely for the purpose  
of information.

La présente annexe indique les  
membres de la famille de brevets  
relatifs aux documents de brevets cités  
dans le rapport de recherche inter-  
national visée ci-dessus. Les renseigne-  
ments fournis sont donnés à titre indica-  
tif et n'engagent pas la responsabilité  
de l'Office.

In Recherchenbericht angeführtes Patentdokument Patent document cited in search report Document de brevet cité dans le rapport de recherche	Datum der Veröffentlichung Publication date Date de publication	Mitglied(er) der Patentfamilie Patent family member(s) Membre(s) de la famille de brevets	Datum der Veröffentlichung Publication date Date de publication
EP-A2- 402112	12-12-90	AU-A1-56965/90 BR-A - 9002720 CA-AA- 2017922 CN-A - 1048408 EP-A3- 402112 FI-A0- 902874 JP-A2- 3072600 BR-A - 9002750	13-12-90 20-08-91 09-12-90 09-01-91 13-03-91 09-06-89 27-03-91 08-01-91
US-A - 4515707	07-05-85	PH-A - 21473 US-A - 4587029	28-10-87 06-05-86